

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((system adj "21") and (module adj "23")) and "5778384".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:06
L2	0	name with (map mapping mapped) with path with server with client and (file adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:43
L3	0	name with table with path with server with client and (file adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:43
L4	9	(name with (map mapping mapped)) and (file adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:43
L5	1407	(name with (map mapping mapped)) and (file adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:44
L6	156	(name with (map mapping mapped)) with (file adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:59
L7	67	l6 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:48
L8	79	((creat\$4 modif\$4 updat\$4) adj file adj request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:46
L9	64	((creat\$4 modif\$4 updat\$4) adj file adj request\$4) and file adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:47
L10	49	((creat\$4) adj file adj request\$4) and file adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:47

L11	16	((modif\$4 updat\$4) adj file adj request\$4) and file adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:47
L12	0	(l10 and l11) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 11:59
L13	26	(l10 or l11) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:48
L14	0	l13 and l7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:48
L15	17	switch and l7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:51
L16	17	switch and l7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:51
L17	4	((("5778384") or ("5566331")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:41
L18	1	((stored storing store)) and "5778384".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:09
L19	1	((map stored storing store)) and "5778384".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:09
L20	2	((("5778384") or ("5566331")).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/15 11:41
L21	31	(name with (map mapping mapped)) with (file adj system) with path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:02

L22	17	I21 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:20
L23	49	(name with (table map mapping mapped) with (file adj system) with path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:19
L24	1	(fabric adj3 channel) and I23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:03
L25	25	I23 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:12
L26	6	((("6012083") or ("6085234") or ("6128717")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:13
L27	227	(name same (table map mapping mapped) same (file adj system) same path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:22
L28	109	I27 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:22
L29	26	(name same (table map mapping mapped) same (file adj system) same path same (hub router switch gateway bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:25
L30	4	I29 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:26
L31	286	(name same (table map mapping mapped) same path same (hub router switch gateway bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:26
L32	707	(file adj system) with cluster\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:25

L33	0	(I31 and I32) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:27
L35	24	(name same (table map mapping mapped) same path same (fabric orb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:26
L36	8	(I35) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:31
L37	17	(NFS CIFS) SAME AGGREGATION	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:36
L38	4	(I37) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:36
L39	27	(NFS CIFS) SAME AGGREGAT\$4 SAME (DIRECTORY FILE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:39
L40	5	(I39) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:41
L41	11	(NFS CIFS) SAME FABRIC SAME (DIRECTORY FILE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:40
L42	8	(TRANSACTION ADJ2 SWITCHING) AND (TRANSACTION ADJ2 AGGREGAT\$6) AND (FILE ADJ2 SYSTEM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:41
L43	0	(I42) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:42
L44	8	(TRANSACTION ADJ2 SWITCHING) AND (TRANSACTION ADJ2 AGGREGAT\$6) AND (NFS CIFS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:43

L45	0	(l44) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:42
L46	12	(TRANSACTION ADJ2 AGGREGAT\$6) AND (NFS CIFS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:42
L47	2	(l46) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:42
L48	1	(TRANSACTION ADJ2 SWITCHING) AND (TRANSACTION ADJ2 AGGREGAT\$6) AND (NFS CIFS) AND FABRIC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:44
L49	1	(TRANSACTION ADJ2 SWITCH\$5) AND (TRANSACTION ADJ2 AGGREGAT\$6) AND (NFS CIFS) AND FABRIC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:44
L50	8	(TRANSACTION ADJ2 SWITCH\$5) AND (TRANSACTION ADJ2 AGGREGAT\$6) AND (NFS CIFS) AND SWITCH\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:44
S1	83	aggregat\$6 with directory with (single one)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 07:04
S2	1925	aggregat\$6 with (object file) with (single one)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 07:49
S3	9	database with namespace with (file adj2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 07:49
S4	0	(S1 and S2 and S3) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 07:52
S5	0	((S1 S2) and S3) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 07:51

S6	18	(S1 and S2) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:28
S7	5	(US-5590320-\$ or US-6014670-\$ or US-6612490-\$ or US-6691113-\$ or US-6691161-\$).did.	USPAT	OR	OFF	2005/08/12 08:15
S8	5	(aggregat\$6 and directory and (single one) and (file object)) and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 09:59
S9	2	(aggregat\$6) and "5590320".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 09:05
S10	3	(aggregat\$6 and directory and (single one) and file with (instance class object)) and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:10
S11	0	((aggregat\$6 with directory) and (file with (instance class object) with name-mapping))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:11
S12	8	((aggregat\$6 with directory) and name-mapping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:26
S13	4	(aggregat\$6 and directory and name-mapping) and 707/1-10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:27
S14	8	(aggregat\$6 and directory and name-mapping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:27
S15	130	(aggregat\$6 and directory and (name adj2 mapping))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:28
S16	40	(S15) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:36

S19	423	(aggregat\$7 adj2 (file directory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:34
S20	0	S16 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:30
S21	1164	(aggregat\$7 adj2 (instance object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:30
S22	13	S16 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:30
S23	48	(aggregat\$7 adj2 directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:34
S24	31	(aggregat\$7 adj2 directory) and (file adj2 (server systems))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:36
S27	9	S24 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 14:22
S28	33922	(distributed adj2 file adj2 system) and aggregat\$6 and directory and objects (map mapped mapping) and (single one unified unit unity) and cluster\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 08:22
S29	44	S28 and (aggregat\$6 same directory same objects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 14:22
S30	23	S29 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:44
S31	99177	((table map mapped mapping) and ((single one unified unit unity aggregat\$6) adj2 (object file directory database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 08:27

S32	8	(US-5590320-\$ or US-6014670-\$ or US-6612490-\$ or US-6691113-\$ or US-6691161-\$ or US-6128627-\$ or US-6466980-\$ or US-6415300-\$).did.	USPAT	OR	OFF	2005/08/13 08:24
S33	6	S31 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/13 08:28
S34	19207	((table map mapped mapping) and ((single one unified unit unity aggregat\$6) adj5 (object file directory database)) and (file and directory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 08:38
S35	7	S34 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/13 08:28
S36	7	((table map mapped mapping) and ((single one unified unit unity aggregat\$6) and (object file directory database)) and (file and directory)) and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 14:20
S37	1109	((table map mapped mapping) and cluster\$4 and aggregat\$6 and file and directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 14:22
S38	33922	(distributed adj2 file adj2 system) and aggregat\$6 and directory and objects (map mapped mapping) and (single one unified unit unity) and cluster\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 14:22
S39	81	S38 and (aggregat\$6 same directory same (file adj2 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 14:22
S40	14	S39 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 17:26
S41	2	("6348971").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/13 17:27
S42	2	("5778384").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 09:27